

## LED Linear E3

### Application



High PF



Up to 110 lm/W



Flicker Free



No Blue Light



Seamless Connection



Multiple Connection way



30000 hrs+

6yrs Care Free



Library



Office



Shopping Mall



Conference Room

### Specification

| Item Code    | Item Description                           | Power (W) | Power Factor | CCT (K)    | Lumen (lm) | Efficacy (lm/W) | Input Current (mA) | Lifetime (L70B50) | MOQ (pcs) |
|--------------|--|-----------|--------------|------------|------------|-----------------|--------------------|-------------------|-----------|
| 529002045100 | LED Linear-EIII-20W-1.2m-40-857-RE         | 20        | 0.9          | 5700       | 2000       | 100             | 96                 | 30000             | 500       |
| 529002045200 | LED Linear-EIII-20W-1.2m-60-857-RE         | 20        | 0.9          | 5700       | 2200       | 110             | 96                 | 30000             | 500       |
| 529002045300 | LED Linear-EIII-30W-1.2m-80-857-RE         | 30        | 0.9          | 5700       | 3300       | 110             | 144                | 30000             | 500       |
| 529002045400 | LED Linear-EIII-30W-1.2m-100-857-RE        | 30        | 0.9          | 5700       | 3300       | 110             | 144                | 30000             | 500       |
| 529002045500 | LED Linear-EIII-40W-1.2m-120-857-RE        | 40        | 0.9          | 5700       | 4400       | 110             | 191                | 30000             | 500       |
| 529002045600 | LED Linear-EIII-40W-1.2m-150-857-RE        | 40        | 0.9          | 5700       | 4400       | 110             | 191                | 30000             | 500       |
| 529000111600 | LED Linear-EIII-20W-1.2m-60-857-SP         | 20        | 0.9          | 5700       | 2200       | 110             | 96                 | 30000             | 500       |
| 529000111700 | LED Linear-EIII-30W-1.2m-80-857-SP         | 30        | 0.9          | 5700       | 3300       | 110             | 144                | 30000             | 500       |
| 529000111800 | LED Linear-EIII-30W-1.2m-100-857-SP        | 30        | 0.9          | 5700       | 3300       | 110             | 144                | 30000             | 500       |
| 529000112000 | LED Linear-EIII-40W-1.2m-120-857-SP        | 40        | 0.9          | 5700       | 4400       | 110             | 191                | 30000             | 500       |
| 529000112100 | LED Linear-EIII-40W-1.2m-150-857-SP        | 40        | 0.9          | 5700       | 4400       | 110             | 191                | 30000             | 500       |
| 529002045700 | LED Linear-EIII-20W-1.2m-40-857-RE-CONN    | 20        | 0.9          | 5700       | 1600       | 80              | 700                | 30000             | 500       |
| 529002045800 | LED Linear-EIII-30W-1.2m-60-857-RE-CONN    | 30        | 0.9          | 5700       | 2550       | 85              | 1050               | 30000             | 500       |
| 529002045900 | LED Linear-EIII-30W-1.2m-80-857-RE-CONN    | 30        | 0.9          | 5700       | 2550       | 85              | 1050               | 30000             | 500       |
| 529002046000 | LED Linear-EIII-30W-1.2m-100-857-RE-CONN   | 30        | 0.9          | 5700       | 2550       | 85              | 1050               | 30000             | 500       |
| 529002046100 | LED Linear-EIII-40W-1.2m-120-857-RE-CONN   | 40        | 0.9          | 5700       | 3400       | 85              | 1400               | 30000             | 500       |
| 529002046200 | LED Linear-EIII-40W-1.2m-150-857-RE-CONN   | 40        | 0.9          | 5700       | 3400       | 85              | 1400               | 30000             | 500       |
| 529002046300 | LED Linear-EIII-20W-1.2m-40-82757-RE-CONN  | 20        | 0.9          | 2700K-5700 | 1700       | 85              | 700                | 30000             | 500       |
| 529002046400 | LED Linear-EIII-30W-1.2m-60-82757-RE-CONN  | 30        | 0.9          | 2700K-5700 | 2550       | 85              | 1050               | 30000             | 500       |
| 529002046500 | LED Linear-EIII-30W-1.2m-80-82757-RE-CONN  | 30        | 0.9          | 2700K-5700 | 2550       | 85              | 1050               | 30000             | 500       |
| 529002046600 | LED Linear-EIII-30W-1.2m-100-82757-RE-CONN | 30        | 0.9          | 2700K-5700 | 2550       | 85              | 1050               | 30000             | 500       |
| 529002046700 | LED Linear-EIII-40W-1.2m-120-82757-RE-CONN | 40        | 0.9          | 2700K-5700 | 3400       | 85              | 1400               | 30000             | 500       |
| 529002046800 | LED Linear-EIII-40W-1.2m-150-82757-RE-CONN | 40        | 0.9          | 2700K-5700 | 3400       | 85              | 1400               | 30000             | 500       |

## Specification

| Item Code    | Item Description                          | Power (W) | Power Factor | CCT (K)    | Lumen (lm) | Efficacy (lm/W) | Input Current (mA) | Lifetime (L70B50) | MOQ (pcs) |
|--------------|---|-----------|--------------|------------|------------|-----------------|--------------------|-------------------|-----------|
| 529000112200 | LED Linear-EIII-30W-1.2m-60-857-SP-CONN   | 30        | 0.9          | 5700       | 2550       | 85              | 1050               | 30000             | 500       |
| 529000112300 | LED Linear-EIII-30W-1.2m-80-857-SP-CONN   | 30        | 0.9          | 5700       | 2550       | 85              | 1050               | 30000             | 500       |
| 529000112400 | LED Linear-EIII-30W-1.2m-100-857-SP-CONN  | 30        | 0.9          | 5700       | 2550       | 85              | 1050               | 30000             | 500       |
| 529000112500 | LED Linear-EIII-40W-1.2m-120-857-SP-CONN  | 40        | 0.9          | 5700       | 3400       | 85              | 1400               | 30000             | 500       |
| 529000112600 | LED Linear-EIII-40W-1.2m-150-857-SP-CONN  | 40        | 0.9          | 5700       | 3400       | 85              | 1400               | 30000             | 500       |
| 529000112700 | LED Linear-EIII-30W-1.2m-60-82757-SP-CONN | 30        | 0.9          | 2700K-5700 | 2550       | 85              | 1050               | 30000             | 500       |
| 529000112800 | LED Linear-EIII-30W-1.2m-80-82757-SP-CONN | 30        | 0.9          | 2700K-5700 | 2550       | 85              | 1050               | 30000             | 500       |
| 529000112900 | LED Linear-EIII-30W1.2m-100-82757-SP-CONN | 30        | 0.9          | 2700K-5700 | 2550       | 85              | 1050               | 30000             | 500       |
| 529000113000 | LED Linear-EIII-40W1.2m-120-82757-SP-CONN | 40        | 0.9          | 2700K-5700 | 3400       | 85              | 1400               | 30000             | 500       |
| 529000113100 | LED Linear-EIII-40W1.2m-150-82757-SP-CONN | 40        | 0.9          | 2700K-5700 | 3400       | 85              | 1400               | 30000             | 500       |
| 529000118300 | LED Linear-EIII-15W-0.6m-60-857-SP-CONN   | 15        | 0.9          | 5700       | 1275       | 85              | 550                | 30000             | 500       |
| 529000118400 | LED Linear-EIII-15W-0.6m-80-857-SP-CONN   | 15        | 0.9          | 5700       | 1275       | 85              | 550                | 30000             | 500       |
| 529000118500 | LED Linear-EIII-15W-0.6m-100-857-SP-CONN  | 15        | 0.9          | 5700       | 1275       | 85              | 550                | 30000             | 500       |
| 529000118600 | LED Linear-EIII-20W-0.6m-120-857-SP-CONN  | 20        | 0.9          | 5700       | 1700       | 85              | 700                | 30000             | 500       |
| 529000118700 | LED Linear-EIII-20W-0.6m-150-857-SP-CONN  | 20        | 0.9          | 5700       | 1700       | 85              | 700                | 30000             | 500       |
| 529000118800 | LED Linear-EIII-15W-0.6m-60-82757-SP-CONN | 15        | 0.9          | 2700K-5700 | 1275       | 85              | 550                | 30000             | 500       |
| 529000118900 | LED Linear-EIII-15W-0.6m-80-82757-SP-CONN | 15        | 0.9          | 2700K-5700 | 1275       | 85              | 550                | 30000             | 500       |
| 529000119000 | LED Linear-EIII-15W0.6m-100-82757-SP-CONN | 15        | 0.9          | 2700K-5700 | 1275       | 85              | 550                | 30000             | 500       |
| 529000119100 | LED Linear-EIII-20W0.6m-120-82757-SP-CONN | 20        | 0.9          | 2700K-5700 | 1700       | 85              | 700                | 30000             | 500       |
| 529000119200 | LED Linear-EIII-20W0.6m-150-82757-SP-CONN | 20        | 0.9          | 2700K-5700 | 1700       | 85              | 700                | 30000             | 500       |
| 529002059800 | LED Linear-EIII-10W-0.6m-40-857-RE-CONN   | 10        | 0.9          | 5700       | 800        | 80              | 350                | 30000             | 500       |
| 529002059900 | LED Linear-EIII-15W-0.6m-60-857-RE-CONN   | 15        | 0.9          | 5700       | 1275       | 85              | 550                | 30000             | 500       |
| 529002060000 | LED Linear-EIII-15W-0.6m-80-857-RE-CONN   | 15        | 0.9          | 5700       | 1275       | 85              | 550                | 30000             | 500       |
| 529002060100 | LED Linear-EIII-15W-0.6m-100-857-RE-CONN  | 15        | 0.9          | 5700       | 1275       | 85              | 550                | 30000             | 500       |
| 529002060200 | LED Linear-EIII-20W-0.6m-120-857-RE-CONN  | 20        | 0.9          | 5700       | 1700       | 85              | 700                | 30000             | 500       |
| 529002060300 | LED Linear-EIII-20W-0.6m-150-857-RE-CONN  | 20        | 0.9          | 5700       | 1700       | 85              | 700                | 30000             | 500       |
| 529002060400 | LED Linear-EIII-10W-0.6m-40-82757-RE-CONN | 10        | 0.9          | 2700K-5700 | 800        | 80              | 350                | 30000             | 500       |
| 529002060500 | LED Linear-EIII-15W-0.6m-60-82757-RE-CONN | 15        | 0.9          | 2700K-5700 | 1275       | 85              | 550                | 30000             | 500       |
| 529002060600 | LED Linear-EIII-15W-0.6m-80-82757-RE-CONN | 15        | 0.9          | 2700K-5700 | 1275       | 85              | 550                | 30000             | 500       |
| 529002060700 | LED Linear-EIII-15W0.6m-100-82757-RE-CONN | 15        | 0.9          | 2700K-5700 | 1275       | 85              | 550                | 30000             | 500       |
| 529002060800 | LED Linear-EIII-20W0.6m-120-82757-RE-CONN | 20        | 0.9          | 2700K-5700 | 1700       | 85              | 700                | 30000             | 500       |
| 529002060900 | LED Linear-EIII-20W0.6m-150-82757-RE-CONN | 20        | 0.9          | 2700K-5700 | 1700       | 85              | 700                | 30000             | 500       |
| 529002046900 | LED Linear-EIII-60-857-RE-L               | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529002047000 | LED Linear-EIII-60-857-RE-T               | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529002047100 | LED Linear-EIII-60-857-RE-十               | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529002047200 | LED Linear-EIII-80-857-RE-L               | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529002047300 | LED Linear-EIII-80-857-RE-T               | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529002047400 | LED Linear-EIII-80-857-RE-十               | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529002047500 | LED Linear-EIII-100-857-RE-L              | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529002047600 | LED Linear-EIII-100-857-RE-T              | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529002047700 | LED Linear-EIII-100-857-RE-十              | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529000113200 | LED Linear-EIII-60-857-SP-L               | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529000113300 | LED Linear-EIII-60-857-SP-T               | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529000113400 | LED Linear-EIII-60-857-SP-十               | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529000113500 | LED Linear-EIII-80-857-SP-L               | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529000113600 | LED Linear-EIII-80-857-SP-T               | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529000113700 | LED Linear-EIII-80-857-SP-十               | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529000113800 | LED Linear-EIII-100-857-SP-L              | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529000113900 | LED Linear-EIII-100-857-SP-T              | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |
| 529000114000 | LED Linear-EIII-100-857-SP-十              | 15        | 0.9          | 5700       |            |                 | 550                | 30000             | 500       |

| Technical Specification  |                       |
|--------------------------|-----------------------|
| CRI                      | 80                    |
| Colour Consistency(SDCM) | ≤5                    |
| Dimmable                 | Yes (For Some Models) |
| Housing Colour           | Silver White          |
| IP                       | IP20                  |
| IK                       | IK02                  |
| Glow wire test           | 650 C                 |

| Electrical Supply |         |
|-------------------|---------|
| Frequency (Hz)    | 50/60   |
| Voltage (V)       | 220-240 |
| AC / DC           | AC      |

| Mechanical and Finishing Properties |          |
|-------------------------------------|----------|
| Housing Material                    | Aluminum |
| Optical Material                    | PC       |

| Application Conditions  |          |
|-------------------------|----------|
| Operating Temperature   | -20-45°C |
| Application Temperature | 25°C     |
| Storage Environment     | -25-50°C |

## Accessory

| Item         |  | Outer box                 |                          | MOQ |
|--------------|--|---------------------------|--------------------------|-----|
| Item Code    | Item Description   | Dimensions(mm)<br>(LxWxH) | Packing Qty<br>(pcs/CTN) |     |
| 529098032900 | LED Linear-EIII-End Cap-40-RE (2pcs)                       | 610*248*228               | 160                      | 500 |
| 529098033000 | LED Linear-EIII-End Cap-60-RE (2pcs)                       | 610*248*228               | 120                      | 500 |
| 529098033100 | LED Linear-EIII-End Cap-80-RE (2pcs)                       | 610*248*228               | 120                      | 500 |
| 529098033200 | LED Linear-EIII-End Cap-100-RE (2pcs)                      | 425*345*135               | 100                      | 500 |
| 529098033300 | LED Linear-EIII-End Cap-120-RE (2pcs)                      | 425*345*155               | 100                      | 500 |
| 529098033400 | LED Linear-EIII-End Cap-150-RE (2pcs)                      | 425*345*185               | 100                      | 500 |
| 529098033500 | LED Linear-EIII-End Cap-60-SP (2pcs)                       | 610*248*228               | 120                      | 500 |
| 529098033600 | LED Linear-EIII-End Cap-80-SP (2pcs)                       | 610*248*228               | 120                      | 500 |
| 529098033700 | LED Linear-EIII-End Cap-100-SP (2pcs)                      | 425*345*135               | 100                      | 500 |
| 529098033800 | LED Linear-EIII-End Cap-120-SP (2pcs)                      | 425*345*155               | 100                      | 500 |
| 529098033900 | LED Linear-EIII-End Cap-150-SP (2pcs)                      | 425*345*185               | 100                      | 500 |
| 529098034000 | LED Linear-EIII-Cover-W40-20m                              | 800*800*40                | 1                        | 500 |
| 529098034100 | LED Linear-EIII-Cover-W60-20m                              | 800*800*60                | 1                        | 500 |
| 529098034200 | LED Linear-EIII-Cover-W80-20m                              | 800*800*80                | 1                        | 500 |
| 529098034300 | LED Linear-EIII-Cover-W100-20m                             | 800*800*100               | 1                        | 500 |
| 529098034400 | LED Linear-EIII-Cover-W120-20m                             | 800*800*120               | 1                        | 500 |
| 529098034500 | LED Linear-EIII-Cover-W150-20m                             | 800*800*150               | 1                        | 500 |
| 529098035600 | LED Linear-EIII-Connector-RE-40/60/80                      | 290*250*200               | 200                      | 500 |
| 529098035700 | LED Linear-EIII-Connector-RE-100/120/150                   | 250*235*165               | 80                       | 500 |
| 529098035800 | LED Linear-EIII-Connector-SP-60/80                         | 290*250*200               | 40                       | 500 |
| 529098035900 | LED Linear-EIII-Connector-SP-100/120/150                   | 290*250*200               | 40                       | 500 |
| 529098036000 | LED Linear-EIII-Input Wire                                 | 365*255*217               | 100                      | 500 |
| 529098036100 | LED Linear-EIII-Input Wire-Tunable                         | 365*255*217               | 100                      | 500 |
| 529098036200 | LED Linear-EIII-80/100 Ceiling Kit                         | 290*250*200               | 40                       | 500 |
| 529098036300 | LED Linear-EIII-Driver Ceiling Box                         | 430*310*230               | 20                       | 500 |
| 599007083600 | Suspended rope-single lamp                                 | 225*225*240               | 40                       | 500 |
| 529098037500 | LED Linear-EIII-Suspended Kit                              | 290*250*200               | 40                       | 500 |
| 820009006900 | Driver-OP-IDSVC0800024S2-01-LED Linear-EIII-Tunable 80W    | 335*320*230               | 40                       | 500 |
| 820009007100 | Driver-OP-DY220/200-24CV/2-WB-LED Linear-EIII-Tunable 200W | 335*260*180               | 20                       | 500 |
| 822006000100 | OP-RY-IOT-CBX-QLV3-SIG                                     | 275*275*140               | 180                      | 500 |
| 820009002200 | Driver-OP-IESVC0360024E1-01-36W 24V                        | 420*270*255               | 60                       | 500 |
| 820009000900 | Driver-OP-IESVC0600024E1-01-60W 24V                        | 395*250*175               | 30                       | 500 |
| 820009000700 | Driver-OP-IESVC1200024E1-01-120W 24V                       | 395*310*175               | 30                       | 500 |
| 820009002500 | Driver-OP-IESVC2400024E1-01-240W 24V                       | 355*300*255               | 30                       | 500 |
| 820001002200 | Driver-OP-IESVH0800024E1-01-Kunlun Lite-24V 80W            | 315*220*205               | 30                       | 500 |
| 820001002300 | Driver-OP-IESVH1500024E1-01-Kunlun Lite-24V150W            | 405*220*205               | 30                       | 500 |
| 820001002400 | Driver-OP-IESVH3000024E1-01-Kunlun Lite-24V300W            | 465*220*205               | 30                       | 500 |

## Packaging Information


| Item         |   |                           | Outer box            |                           |
|--------------|---|---------------------------|----------------------|---------------------------|
| Item Code    | Item Description                          | Dimensions(mm)<br>(LxWxH) | Gross Weight<br>(kg) | Packing Qty<br>(pcs/unit) |
| 529002045100 | LED Linear-EIII-20W-1.2m-40-857-RE        | 1282*322*197              | 1.02                 | 6                         |
| 529002045200 | LED Linear-EIII-20W-1.2m-60-857-RE        | 1282*385*197              | 1.05                 | 6                         |
| 529002045300 | LED Linear-EIII-30W-1.2m-80-857-RE        | 1282*445*197              | 1.27                 | 6                         |
| 529002045400 | LED Linear-EIII-30W-1.2m-100-857-RE       | 1322*340*196              | 2.65                 | 4                         |
| 529002045500 | LED Linear-EIII-40W-1.2m-120-857-RE       | 1282*385*197              | 1.90                 | 4                         |
| 529002045600 | LED Linear-EIII-40W-1.2m-150-857-RE       | 1282*445*197              | 2.02                 | 4                         |
| 529000111600 | LED Linear-EIII-20W-1.2m-60-857-SP        | 1270*270*172              | 0.99                 | 6                         |
| 529000111700 | LED Linear-EIII-30W-1.2m-80-857-SP        | 1270*330*172              | 1.17                 | 6                         |
| 529000111800 | LED Linear-EIII-30W-1.2m-100-857-SP       | 1270*390*172              | 1.67                 | 6                         |
| 529000112000 | LED Linear-EIII-40W-1.2m-120-857-SP       | 1270*312*172              | 1.95                 | 4                         |
| 529000112100 | LED Linear-EIII-40W-1.2m-150-857-SP       | 1270*372*172              | 2.06                 | 4                         |
| 529002045700 | LED Linear-EIII-20W-1.2m-40-857-RE-CONN   | 1282*322*197              | 0.96                 | 6                         |
| 529002045800 | LED Linear-EIII-30W-1.2m-60-857-RE-CONN   | 1282*385*197              | 0.99                 | 6                         |
| 529002045900 | LED Linear-EIII-30W-1.2m-80-857-RE-CONN   | 1282*445*197              | 1.17                 | 6                         |
| 529002046000 | LED Linear-EIII-30W-1.2m-100-857-RE-CONN  | 1282*345*197              | 1.85                 | 4                         |
| 529002046100 | LED Linear-EIII-40W-1.2m-120-857-RE-CONN  | 1282*385*197              | 1.90                 | 4                         |
| 529002046200 | LED Linear-EIII-40W-1.2m-150-857-RE-CONN  | 1282*445*197              | 2.02                 | 4                         |
| 529002046300 | LED Linear-EIII-20W-1.2m-40-82757-RE-CONN | 1282*322*197              | 0.96                 | 6                         |
| 529002046400 | LED Linear-EIII-30W-1.2m-60-82757-RE-CONN | 1282*385*197              | 0.99                 | 6                         |
| 529002046500 | LED Linear-EIII-30W-1.2m-80-82757-RE-CONN | 1282*445*197              | 1.17                 | 6                         |
| 529002046600 | LED Linear-EIII-30W1.2m-100-82757-RE-CONN | 1282*345*197              | 1.85                 | 4                         |
| 529002046700 | LED Linear-EIII-40W1.2m-120-82757-RE-CONN | 1282*385*197              | 1.90                 | 4                         |
| 529002046800 | LED Linear-EIII-40W1.2m-150-82757-RE-CONN | 1282*445*197              | 2.02                 | 4                         |
| 529000112200 | LED Linear-EIII-30W-1.2m-60-857-SP-CONN   | 1270*270*172              | 1.01                 | 6                         |
| 529000112300 | LED Linear-EIII-30W-1.2m-80-857-SP-CONN   | 1270*330*172              | 1.08                 | 6                         |
| 529000112400 | LED Linear-EIII-30W-1.2m-100-857-SP-CONN  | 1270*390*172              | 1.67                 | 6                         |
| 529000112500 | LED Linear-EIII-40W-1.2m-120-857-SP-CONN  | 1270*312*172              | 1.95                 | 4                         |
| 529000112600 | LED Linear-EIII-40W-1.2m-150-857-SP-CONN  | 1270*372*172              | 2.06                 | 4                         |
| 529000112700 | LED Linear-EIII-30W-1.2m-60-82757-SP-CONN | 1270*270*172              | 1.01                 | 6                         |
| 529000112800 | LED Linear-EIII-30W-1.2m-80-82757-SP-CONN | 1270*330*172              | 1.08                 | 6                         |
| 529000112900 | LED Linear-EIII-30W1.2m-100-82757-SP-CONN | 1270*390*172              | 1.67                 | 6                         |
| 529000113000 | LED Linear-EIII-40W1.2m-120-82757-SP-CONN | 1270*312*172              | 1.95                 | 4                         |
| 529000113100 | LED Linear-EIII-40W1.2m-150-82757-SP-CONN | 1270*372*172              | 2.06                 | 4                         |
| 529000118300 | LED Linear-EIII-15W-0.6m-60-857-SP-CONN   | 662*270*172               | 1.98                 | 6                         |
| 529000118400 | LED Linear-EIII-15W-0.6m-80-857-SP-CONN   | 662*330*172               | 1.98                 | 6                         |
| 529000118500 | LED Linear-EIII-15W-0.6m-100-857-SP-CONN  | 662*390*172               | 1.98                 | 6                         |
| 529000118600 | LED Linear-EIII-20W-0.6m-120-857-SP-CONN  | 662*312*172               | 2.06                 | 4                         |
| 529000118700 | LED Linear-EIII-20W-0.6m-150-857-SP-CONN  | 662*372*172               | 2.06                 | 4                         |
| 529000118800 | LED Linear-EIII-15W-0.6m-60-82757-SP-CONN | 662*270*172               | 1.98                 | 6                         |
| 529000118900 | LED Linear-EIII-15W-0.6m-80-82757-SP-CONN | 662*330*172               | 1.98                 | 6                         |
| 529000119000 | LED Linear-EIII-15W0.6m-100-82757-SP-CONN | 662*390*172               | 1.98                 | 6                         |
| 529000119100 | LED Linear-EIII-20W0.6m-120-82757-SP-CONN | 662*312*172               | 2.06                 | 4                         |
| 529000119200 | LED Linear-EIII-20W0.6m-150-82757-SP-CONN | 662*372*172               | 2.06                 | 4                         |
| 529002059800 | LED Linear-EIII-10W-0.6m-40-857-RE-CONN   | 662*322*197               | 1.83                 | 6                         |
| 529002059900 | LED Linear-EIII-15W-0.6m-60-857-RE-CONN   | 662*385*197               | 1.98                 | 6                         |
| 529002060000 | LED Linear-EIII-15W-0.6m-80-857-RE-CONN   | 662*445*197               | 1.98                 | 6                         |
| 529002060100 | LED Linear-EIII-15W-0.6m-100-857-RE-CONN  | 662*345*197               | 2.06                 | 4                         |
| 529002060200 | LED Linear-EIII-20W-0.6m-120-857-RE-CONN  | 662*385*197               | 2.06                 | 4                         |
| 529002060300 | LED Linear-EIII-20W-0.6m-150-857-RE-CONN  | 662*445*197               | 2.06                 | 4                         |
| 529002060400 | LED Linear-EIII-10W-0.6m-40-82757-RE-CONN | 662*322*197               | 1.83                 | 6                         |
| 529002060500 | LED Linear-EIII-15W-0.6m-60-82757-RE-CONN | 662*385*197               | 1.98                 | 6                         |
| 529002060600 | LED Linear-EIII-15W-0.6m-80-82757-RE-CONN | 662*445*197               | 1.98                 | 6                         |
| 529002060700 | LED Linear-EIII-15W0.6m-100-82757-RE-CONN | 662*345*197               | 2.06                 | 4                         |
| 529002060800 | LED Linear-EIII-20W0.6m-120-82757-RE-CONN | 662*385*197               | 2.06                 | 4                         |

## Packaging Information


| Item         |   |                           | Outer box            |                           |
|--------------|---|---------------------------|----------------------|---------------------------|
| Item Code    | Item Description                          | Dimensions(mm)<br>(LxWxH) | Gross Weight<br>(kg) | Packing Qty<br>(pcs/unit) |
| 529002060900 | LED Linear-EIII-20W0.6m-150-82757-RE-CONN | 662*445*197               | 2.06                 | 64                        |
| 529002046900 | LED Linear-EIII-60-857-RE-L               | 590*405*250               | 0.77                 | 6                         |
| 529002047000 | LED Linear-EIII-60-857-RE-T               | 590*405*250               | 0.77                 | 6                         |
| 529002047100 | LED Linear-EIII-60-857-RE-+               | 590*412*370               | 0.77                 | 6                         |
| 529002047200 | LED Linear-EIII-80-857-RE-L               | 590*415*280               | 0.77                 | 6                         |
| 529002047300 | LED Linear-EIII-80-857-RE-T               | 590*392*280               | 0.77                 | 6                         |
| 529002047400 | LED Linear-EIII-80-857-RE-+               | 590*432*390               | 0.77                 | 6                         |
| 529002047500 | LED Linear-EIII-100-857-RE-L              | 590*415*280               | 0.77                 | 6                         |
| 529002047600 | LED Linear-EIII-100-857-RE-T              | 590*392*280               | 0.77                 | 6                         |
| 529002047700 | LED Linear-EIII-100-857-RE-+              | 590*432*390               | 0.77                 | 6                         |
| 529000113200 | LED Linear-EIII-60-857-SP-L               | 570*392*230               | 0.65                 | 10                        |
| 529000113300 | LED Linear-EIII-60-857-SP-T               | 570*392*230               | 0.65                 | 10                        |
| 529000113400 | LED Linear-EIII-60-857-SP-+               | 590*412*370               | 0.70                 | 10                        |
| 529000113500 | LED Linear-EIII-80-857-SP-L               | 570*392*260               | 0.65                 | 10                        |
| 529000113600 | LED Linear-EIII-80-857-SP-T               | 570*392*260               | 0.65                 | 10                        |
| 529000113700 | LED Linear-EIII-80-857-SP-+               | 590*432*390               | 0.70                 | 10                        |
| 529000113800 | LED Linear-EIII-100-857-SP-L              | 570*392*260               | 0.65                 | 10                        |
| 529000113900 | LED Linear-EIII-100-857-SP-T              | 570*392*260               | 0.65                 | 10                        |
| 529000114000 | LED Linear-EIII-100-857-SP-+              | 590*432*390               | 0.70                 | 10                        |

## Dimensional Drawing


20W-1200-60-SP




30W-1200-100-SP




30W-1200-80-SP




40W-1200-100-SP




40W-1200-150-SP




20W-1200-40-RE




30W-1200-100-RE




20W-1200-60-RE



40W-1200-120-RE




30W-1200-80-RE




40W-1200-150-RE




### Photometric Data




20W-1.2m-40-857




20W-1.2m-60-857




30W-1.2m-80-857




30W-1.2m-100-857




40W-1.2m-120-857




40W-1.2m-150-857




20W-1.2m-40-857-CONN




30W-1.2m-60-857-CONN




30W-1.2m-80-857-CONN




30W-1.2m-100-857-CONN




40W-1.2m-120-857-CONN




40W-1.2m-150-857-CONN




30W-1.2m-60-82757-CONN




30W-1.2m-80-82757-CONN



30W-1.2m-100-82757-CONN



40W-1.2m-120-82757-CONN



40W-1.2m-150-82757-CONN

**OPPLE SHANGHAI OFFICE**  
 Building V3, The Mixc, 1799 Wuzhong Road,  
 Minhang District, Shanghai, China  
 ZIP: 201103  
**T** + 86 21 3855 0000  
**E** intersales@opple.com

**WWW.OPPLE.COM/EN**